


## IN THE CLAIMS:

1. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of C(O), CR<sup>1</sup>, C(R<sup>2</sup>)(R<sup>3</sup>), NR<sup>5</sup> and CH;

q is an integer of from 4 to 6;

A is NR<sup>6</sup>;

E is NR<sup>7</sup>;

J is O;

T is (CH<sub>2</sub>)<sub>b</sub> wherein b is an integer of from 0 to 2;

M is selected from the group consisting of C(R<sup>9</sup>)(R<sup>10</sup>) and (CH<sub>2</sub>)<sub>u</sub> wherein u is an integer of from 0 to 1;

L is (CH<sub>2</sub>)<sub>n</sub> wherein n is an integer of 0 or 1;

X is selected from the group consisting of CO<sub>2</sub>B, and tetrazolyl;

W is selected from the group consisting of C and CR<sup>15</sup>;

B is H or alkyl;

R<sup>1</sup> at each occurrence is independently selected from the group consisting of halogen, alkyl, alkoxy, -O(aralkyl), -CF<sub>3</sub>, -NH<sub>2</sub>, -OH, -NHC(O)N(C<sub>1</sub>-C<sub>3</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>3</sub> alkyl), N(alkyl)SO<sub>2</sub>(alkyl), -NH(aralkyl), -NHSO<sub>2</sub>(C<sub>1</sub>-C<sub>3</sub> alkyl), alkylamino, di(C<sub>1</sub>-C<sub>3</sub> alkyl)amino, cycloalkyl, aryl, arylamino, alkoxy-alkoxy, 1-piperazinyl, 1-morpholinyl, 1-4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl, and 3-alkyl-1-ureido wherein R<sup>1</sup> can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

R<sup>2</sup> and R<sup>3</sup> are hydrogen;

R<sup>4</sup> is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, alkylaryl and aralkyl, wherein  $R^4$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy,  $-CF_3$ , halogen, hydroxyl,  $-OCF_3$ , aryl,  $-OCF_2H$ ,  $-OCF_2CF_2H$ ,  $-O(\text{cycloalkyl})$ ,  $-OCH_2CF_3$ , thioalkoxy,  $-SO_2(\text{alkyl})$ , 1-pyrrolidinyl, 1-piperidinyl,  $-O(\text{cycloalkylalkyl})$ , dialkylamino, cycloalkyl, haloalkyl,  $-NHSO_2(\text{alkyl})$  and  $-N(\text{alkyl})SO_2(\text{alkyl})$ ;

$R^5$  at each occurrence is independently selected from the group consisting of cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein  $R^5$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy,  $-CF_3$ , hydroxyl, nitro, amino,  $-NH(\text{aliphatic acyl})$ ,  $-NHSO_2(\text{alkyl})$ , thioalkoxy,  $-OCF_3$ ,  $-SO_2(\text{alkyl})$ ,  $-SO_2N(\text{alkyl})_2$ ,  $-OCF_2H$ , aliphatic acyl,  $-OCH_2CF_3$ , alkoxyalkoxy,  $-SO_2(1\text{-pyrrolidinyl})$ ,  $-SO_2(1\text{-piperidinyl})$ ,  $-O(\text{cycloalkylalkyl})$ ,  $-O(\text{aralkyl})$ , 1-pyrrolidinyl and 1-piperidinyl;

$R^6$  and  $R^7$  are independently hydrogen or alkyl;

$R^9$  and  $R^{10}$  are independently selected from the group consisting of hydrogen and alkyl; and

$R^{15}$  is hydrogen;


wherein when at least one  $Y$  is  $CR^1$ ,  $R^1$  and  $R^6$  may be taken together to form a ring;

or a pharmaceutically acceptable salt thereof.

2. (Previously Presented) A compound of claim 1 wherein  
 A is  $\text{NR}^6$ ;  
 E is  $\text{NR}^7$ ;  
 J is O;  
 M is  $\text{C}(\text{R}^9)(\text{R}^{10})$   
 Q is 4 or 5;  
 T is  $(\text{CH}_2)_b$  wherein b is 0  
 L is  $(\text{CH}_2)_n$  wherein n is 0;  
 X is  $\text{CO}_2\text{B}$ ;  
 W is C or  $\text{CR}^{15}$ ;  
 $\text{R}^4$  is aryl, and  
 $\text{R}^6, \text{R}^7, \text{R}^9, \text{R}^{10}$  and  $\text{R}^{15}$  when present are hydrogen.

3. (Canceled)

4. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group  
 consisting of  $\text{C}(\text{O})$ ,  $\text{CR}^1$ ,  $\text{C}(\text{R}^2)(\text{R}^3)$ ,  $\text{NR}^5$  and  $\text{CH}$ ;

q is an integer of from 4 to 6;

T is  $(\text{CH}_2)_b$  wherein b is an integer of 0 to 2;

L is  $(\text{CH}_2)_n$  wherein n is an integer of 0 or 1;

W is selected from the group consisting of C and  $\text{CR}^{15}$ ;

B is H or alkyl;

$\text{R}^1$  at each occurrence is independently selected from the group consisting of

halogen, alkyl, alkoxy, -O(aralkyl),  $-\text{CF}_3$ ,  $-\text{NH}_2$ ,  $-\text{OH}$ ,

$-\text{NHC}(\text{O})\text{N}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{C}(\text{O})\text{NH}(\text{C}_1\text{-C}_3 \text{ alkyl})$ ,  $-\text{NHSO}_2(\text{C}_1\text{-C}_3 \text{ alkyl})$ ,  $\text{N}(\text{alkyl})$

$\text{SO}_2(\text{alkyl})$ , alkylamino,  $\text{di}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{amino}$ , cycloalkyl, aryl, arylamino,

alkoxyalkoxy, 1-piperazinyl, 1-morpholinyl, 1,4-oxazinan-4-yl, 4-

methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl, and 3-alkyl-1-ureido wherein  $R^1$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

$R^2$  and  $R^3$  are hydrogen;

$R^4$  is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, alkylaryl and aralkyl wherein  $R^4$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy,  $-CF_3$ , halogen, hydroxyl,  $-OCF_3$ , aryl,  $-OCF_2H$ ,  $-OCF_2CF_2H$ ,  $-O(cycloalkyl)$ ,  $-OCH_2CF_3$ , thioalkoxy,  $-SO_2(alkyl)$ , 1-pyrrolidinyl, 1-piperidinyl,  $-O(cycloalkylalkyl)$ , dialkylamino, cycloalkyl, haloalkyl,  $-NHSO_2(alkyl)$  and  $-N(alkyl)SO_2(alkyl)$ ;

$R^5$  at each occurrence is independently selected from the group consisting of cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein  $R^5$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy,  $-CF_3$ , hydroxyl, nitro, amino,  $-NH(aliphatic\ acyl)$ ,  $-NHSO_2(alkyl)$ , thioalkoxy,  $-OCF_3$ ,  $-SO_2(alkyl)$ ,  $-SO_2N(alkyl)_2$ ,  $-OCF_2H$ , aliphatic acyl,  $-OCH_2CF_3$ , alkoxyalkoxy,  $-SO_2(1-pyrrolidinyl)$ ,  $-SO_2(1-piperidinyl)$ ,  $-O(cycloalkylalkyl)$ ,  $-O(aralkyl)$ , 1-pyrrolidinyl and 1-piperidinyl;

$R^6$  and  $R^7$  are independently hydrogen or alkyl; and

$R^9$  and  $R^{10}$  are independently selected from the group consisting of

hydrogen and alkyl; and

$R^{15}$  is hydrogen

wherein when at least one Y is  $CR^1$ ,  $R^1$  and  $R^6$  may be taken together to form a ring

or a pharmaceutically acceptable salt thereof.

5. (Previously Presented) A compound of claim 4 wherein
  - q is 4 or 5;
  - W is C or  $CR^{15}$ ;
  - T is  $(CH_2)_b$  wherein b is 0;

L is  $(CH_2)_n$  wherein n is 0;


$R^4$  is aryl,

and

$R^6$ ,  $R^7$ ,  $R^9$ ,  $R^{10}$  and  $R^{15}$  when present are hydrogen.

6. (Canceled)

7. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of  $CR^1$ ,  $C(R^2)(R^3)$  and  $CH$ ;

q is an integer of from 2 to 4;

T is  $(CH_2)_b$  wherein b is an integer of 0 to 2;

L is  $(CH_2)_n$  wherein n is an integer of 0 or 1;

B is H or alkyl;

$R^1$  at each occurrence is independently selected from the group consisting of halogen, alkyl,  $-O(\text{aralkyl})$ , alkoxy, alkoxyalkoxy,  $-CF_3$ ,  $-NH_2$ ,  $-OH$ ,  $-NHC(O)N(C_1-C_3 \text{ alkyl})C(O)NH(C_1-C_3 \text{ alkyl})$ ,  $-NHSO_2(C_1-C_3 \text{ alkyl})$ , alkylamino,  $di(C_1-C_3 \text{ alkyl})$ amino, cycloalkyl, aryl, arylamino,  $-NH(\text{aralkyl})$ , 1-morpholinyl, 1-piperazinyl,  $-NH(\text{aliphatic aryl})$ , 1,4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl and 3-alkyl-1-ureido wherein  $R^1$  can be unsubstituted or substituted with one or more electron donating or

electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

$R^2$  and  $R^3$  are hydrogen;

$R^4$  is selected from the group consisting of

alkyl, aryl, biaryl, and aralkyl wherein  $R^4$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy,  $-CF_3$ , halogen, hydroxyl,  $-OCF_3$ , aryl,  $-OCF_2H$ ,  $-OCF_2CF_2H$ ,  $-O(\text{cycloalkyl})$ ,  $-OCH_2CF_3$ , thioalkoxy,  $-SO_2(\text{alkyl})$ , 1-pyrrolidinyl, 1-piperidinyl,  $-O(\text{cycloalkylalkyl})$ , dialkylamino, cycloalkyl, haloalkyl,  $-NHSO_2(\text{alkyl})$  and  $-N(\text{alkyl})SO_2(\text{alkyl})$ ;

$R^6$   $R^7$  are independently hydrogen or alkyl;

$R^9$  and  $R^{10}$  are independently selected from the group of

hydrogen and alkyl; and

$R^{18}$  is selected from the group consisting of


cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein  $R^{18}$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy,  $-CF_3$ , hydroxyl, nitro, amino,  $-NH(\text{aliphatic acyl})$ ,  $-NHSO_2(\text{alkyl})$ , thioalkoxy,  $-OCF_3$ ,  $-SO_2(\text{alkyl})$ ,  $-SO_2N(\text{alkyl})_2$ ,  $-OCF_2H$ , aliphatic acyl,  $-OCH_2CF_3$ , alkoxyalkoxy,  $-SO_2(1\text{-pyrrolidinyl})$ ,  $-SO_2(1\text{-piperidinyl})$ ,  $-O(\text{cycloalkylalkyl})$ ,  $-O(\text{aralkyl})$ , 1-pyrrolidinyl and 1-piperidinyl;

wherein when at least one Y is  $CR^1$ ,  $R^1$  and  $R^6$  may be taken together to form a ring;


or a pharmaceutically acceptable salt thereof.

8. (Previously Presented) A compound of claim 7 wherein  $R^{18}$  is aralkyl;  
T is  $(CH_2)_b$  wherein b is 0;  
L is  $(CH_2)_n$  wherein n is 0;  
Y is selected from the group consisting of  $CR^1$  and  $C(R^2)(R^3)$  and  
Q is 2 or 3.
9. (Canceled)

10. (Previously Presented) A compound of claim 7 wherein



is selected from the group consisting of



wherein  $R^{18}$  is selected from the group consisting of cycloalkylalkyl, aralkyl and aryloxyalkyl wherein  $R^{18}$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, - $CF_3$ , hydroxyl, nitro, amino, -NH(aliphatic acyl), -NHSO<sub>2</sub>(alkyl), thioalkoxy, -OCF<sub>3</sub>, -SO<sub>2</sub>(alkyl), -SO<sub>2</sub>N(alkyl)<sub>2</sub>, -OCF<sub>2</sub>H, aliphatic acyl, -OCH<sub>2</sub>CF<sub>3</sub>, alkoxyalkoxy, -SO<sub>2</sub>(1-pyrrolidinyl), -SO<sub>2</sub>(1-piperidinyl), -O(cycloalkylalkyl), -O(aralkyl), 1-pyrrolidinyl and 1-piperidinyl;

$R^{20}$  at each occurrence is independently selected from the group consisting of halogen, alkyl, alkoxy, alkoxyalkoxy, -O(aralkyl), -NH(aliphatic acyl), -CF<sub>3</sub>, -NH<sub>2</sub>, -OH, -NHC(O)N(C<sub>1</sub>-C<sub>3</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>3</sub> alkyl), -NHSO<sub>2</sub>(C<sub>1</sub>-C<sub>3</sub> alkyl), alkylamino, di(C<sub>1</sub>-C<sub>3</sub> alkyl)amino, cycloalkyl, aryl, arylamino, 1,4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl, 1-piperazinyl and 3-alkyl-1-ureido wherein  $R^{20}$  can be unsubstituted or substituted with one or more electron donating or electron

withdrawing groups selected from the group consisting of alkyl, aryl, alkoxy, alkoxyalkoxy and carboxy;

**R<sup>21</sup> is hydrogen;**


**R<sup>22</sup> is hydroxy;**

d is an integer of zero to three; and

**e is zero.**

11. (Currently Amended) A compound of claim 7 wherein  $R^{18}$  is aralkyl;  
 $R^4$  is aryl;  
 $T$  is  $(CH_2)_b$  where  $b$  is zero;  
 $L$  is  $(CH_2)_n$  where  $n$  is zero; and,  
 $B$ ,  $R^6$ ,  $R^7$ ,  $R^9$  and  $R^{10}$  are each independently hydrogen.

12. (Previously Presented) A compound of the structure



wherein T is  $(\text{CH}_2)_b$  wherein b is 0;

L is  $(\text{CH}_2)_n$  wherein n is;

**g** is an integer of from 0 to 7;

**B is H or alkyl;**

$R^4$  is selected from the group consisting of

aryl, biaryl, and aralkyl, wherein R<sup>4</sup> can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the



group consisting of alkyl, alkoxy,  $-\text{CF}_3$ , halogen, hydroxyl,  $-\text{OCF}_3$ , aryl,  $-\text{OCF}_2\text{H}$ ,  $-\text{OCF}_2\text{CF}_2\text{H}$ ,  $-\text{O}(\text{cycloalkyl})$ ,  $-\text{OCH}_2\text{CF}_3$ , thioalkoxy,  $-\text{SO}_2(\text{alkyl})$ , 1-pyrrolidinyl, 1-piperidinyl,  $-\text{O}(\text{cycloalkylalkyl})$ , dialkylamino, cycloalkyl, haloalkyl,  $-\text{NHSO}_2(\text{alkyl})$  and  $-\text{N}(\text{alkyl})\text{SO}_2(\text{alkyl})$ ;

$\text{R}^6$  and  $\text{R}^7$  are each hydrogen;

$\text{R}^9$  and  $\text{R}^{10}$  are independently selected from the group consisting of hydrogen and alkyl;

$\text{R}^{18}$  is selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein  $\text{R}^{18}$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy,  $-\text{CF}_3$ , hydroxyl, nitro, amino,  $-\text{NH}(\text{aliphatic acyl})$ ,  $-\text{NHSO}_2(\text{alkyl})$ , thioalkoxy,  $-\text{OCF}_3$ ,  $-\text{SO}_2(\text{alkyl})$ ,  $-\text{SO}_2\text{N}(\text{alkyl})_2$ ,  $-\text{OCF}_2\text{H}$ , aliphatic acyl,  $-\text{OCH}_2\text{CF}_3$ , alkoxyalkoxy,  $-\text{SO}_2(1\text{-pyrrolidinyl})$ ,  $-\text{SO}_2(1\text{-piperidinyl})$ ,  $-\text{O}(\text{cycloalkylalkyl})$ ,  $-\text{O}(\text{aralkyl})$ , 1-pyrrolidinyl and 1-piperidinyl; and


$\text{R}^{23}$  at each occurrence is independently selected from the group consisting of

hydrogen, halogen, alkyl,  $-\text{O}(\text{aralkyl})$ , alkoxy, alkoxyalkoxy,  $-\text{CF}_3$ ,  $-\text{NH}_2$ ,  $-\text{NH}(\text{aralkyl})$ ,  $-\text{NH}(\text{aliphatic acyl})$ ,  $-\text{OH}$ ,  $-\text{NHC}(\text{O})\text{N}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{C}(\text{O})\text{NH}(\text{C}_1\text{-C}_3 \text{ alkyl})$ ,  $-\text{NHSO}_2(\text{C}_1\text{-C}_3 \text{ alkyl})$ , alkylamino,  $\text{di}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{amino}$ , cycloalkyl, aryl, arylamino, 1,4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl, 1-morpholinyl, 1-piperazinyl, and 3-alkyl-1-ureido wherein  $\text{R}^{23}$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, carboxy and alkoxyalkoxy;

or a pharmaceutically acceptable salt thereof.

13. (Canceled)

2 14. (Previously Presented) A compound of the structure



wherein h is an integer of zero to five;

B, R<sup>6</sup>, R<sup>7</sup>, R<sup>9</sup>, R<sup>10</sup> are independently selected from the group consisting of hydrogen and alkyl;

R<sup>18</sup> is selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R<sup>18</sup> can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, -CF<sub>3</sub>, hydroxyl, nitro, amino, -NH(aliphatic acyl), -NHSO<sub>2</sub>(alkyl), thioalkoxy, -OCF<sub>3</sub>, -SO<sub>2</sub>(alkyl), -SO<sub>2</sub>N(alkyl)<sub>2</sub>, -OCF<sub>2</sub>H, aliphatic acyl, -OCH<sub>2</sub>CF<sub>3</sub>, alkoxyalkoxy, -SO<sub>2</sub>(1-pyrrolidinyl), -SO<sub>2</sub>(1-piperidinyl), -O(cycloalkylalkyl), -O(aralkyl), 1-pyrrolidinyl and 1-piperidinyl;

R<sup>24</sup> is selected from the group consisting of hydrogen and alkyl;

R<sup>25</sup> is selected from the group consisting of

hydrogen, halogen, alkyl and cycloalkyl;

R<sup>26</sup> is selected from the group consisting of hydrogen, alkyl, alkoxyalkoxyalkyl and aralkyl; and

R<sup>27</sup> at each occurrence is independently selected from the group consisting of


halogen, hydroxyl, alkyl, alkoxy, thioalkoxy, -CF<sub>3</sub>, di(C<sub>1</sub>-C<sub>3</sub> alkyl)amino, haloalkyl, cycloalkyl, aryl, -O(haloalkyl), -O(cycloalkyl), -O(cycloalkylalkyl), -NHSO<sub>2</sub>(alkyl),

-N(alkyl)SO<sub>2</sub>(alkyl), piperidinyl, pyrrolidinyl, and -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>3</sub> alkyl)  
 wherein R<sup>27</sup> can be unsubstituted or substituted with one or more electron  
 donating or electron withdrawing groups selected from the group consisting of  
 alkoxy, alkyl and halogen;  
 or a pharmaceutically acceptable salt thereof.

- 3 15. (Previously Presented) The compound of claim 14 wherein B, R<sup>6</sup>, R<sup>7</sup>, R<sup>9</sup>, R<sup>10</sup>, R<sup>24</sup>,  
 R<sup>25</sup> and R<sup>26</sup> are each independently hydrogen or alkyl and R<sup>18</sup> is substituted or  
 unsubstituted aralkyl.

16. (Canceled)

17. (Previously Presented) A compound of the structure



wherein Z, at each occurrence, is independently selected from the group  
 consisting of C(R<sup>31</sup>)(R<sup>32</sup>), N, CH, O and S;

z is an integer of from 3 to 5;

k is 1;

T is (CH<sub>2</sub>)<sub>b</sub> wherein b is an integer of from 0 to 1;

L is (CH<sub>2</sub>)<sub>n</sub> wherein n is an integer of 0 or 1;

B, R<sup>6</sup>, R<sup>7</sup>, R<sup>9</sup> and R<sup>10</sup> are independently selected from the group consisting of  
 hydrogen and alkyl;

R<sup>4</sup> is selected from the group consisting of

hydrogen, aryl, alkyl, aralkyl and biaryl wherein  $R^4$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy,  $-CF_3$ , halogen, hydroxyl,  $-OCF_3$ , aryl,  $-OCF_2H$ ,  $-OCF_2CF_2H$ ,  $-O(cycloalkyl)$ ,  $-OCH_2CF_3$ , thioalkoxy,  $-SO_2(alkyl)$ , 1-pyrrolidinyl, 1-piperidinyl,  $-O(cycloalkylalkyl)$ , dialkylamino, cycloalkyl, haloalkyl,  $-NHSO_2(alkyl)$  and  $-N(alkyl)SO_2(alkyl)$ ;

$R^{31}$  and  $R^{32}$  are hydrogen;

$R^{18}$  is selected from the group consisting of aralkyl aryloxyalkyl and cycloalkylalkyl wherein  $R^{18}$  can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy,  $-CF_3$ , hydroxyl, nitro, amino,  $-NH(aliphatic\ acyl)$ ,  $-NHSO_2(alkyl)$ , thioalkoxy,  $-OCF_3$ ,  $-SO_2(alkyl)$ ,  $-SO_2N(alkyl)_2$ ,  $-OCF_2H$ , aliphatic acyl,  $-OCH_2CF_3$ , alkoxyalkoxy,  $-SO_2(1-pyrrolidinyl)$ ,  $-SO_2(1-piperidinyl)$ ,  $-O(cycloalkylalkyl)$ ,  $-O(aralkyl)$ , 1-pyrrolidinyl and 1-piperidinyl; and


$R^{29}$  is hydroxyl;

or a pharmaceutically acceptable salt thereof.

18. (Canceled)

19. (Original) The compound of claim 17 wherein  $z$  is three or four.

20. (Withdrawn) A compound of the structure



wherein  $R^{24}$  and  $R^{25}$  are each independently selected from the group consisting of hydrogen, halogen, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl,  $-CF_3$ ,  $-SH$ ,  $-OH$ ,

-CO<sub>2</sub>H, -CN, -NO<sub>2</sub>, -NH<sub>2</sub>, alkynylamino, alkoxy carbonyl, heterocycloyl, carboxy, -N(C<sub>1</sub>-C<sub>3</sub> alkyl)-C(O)(C<sub>1</sub>-C<sub>3</sub> alkyl), -NHC(O)N(C<sub>1</sub>-C<sub>3</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>3</sub> alkyl), -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl), -NHSO<sub>2</sub>(C<sub>1</sub>-C<sub>3</sub> alkyl), -NHSO<sub>2</sub>(aryl), alkoxyalkyl, alkylamino, alkenylamino, di(C<sub>1</sub>-C<sub>3</sub>)amino, -C(O)O-(C<sub>1</sub>-C<sub>3</sub>)alkyl, -C(O)NH-(C<sub>1</sub>-C<sub>3</sub>)alkyl, -C(O)N(C<sub>1</sub>-C<sub>3</sub> alkyl)<sub>2</sub>, -CH=NOH, -PO<sub>3</sub>H<sub>2</sub>, -OPO<sub>3</sub>H<sub>2</sub>, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>3</sub> alkyl), -SO<sub>3</sub>-(C<sub>1</sub>-C<sub>3</sub> alkyl), sulfonamido, carbamate, aryloxyalkyl and -C(O)NH(benzyl) groups; and R<sup>18</sup> and R<sup>34</sup> are each independently selected from the group consisting of alkyl, alkenyl, alkynyl, hydroxyalkyl, aliphatic acyl, alkynylamino, alkoxy carbonyl, heterocycloyl, -CH=NOH, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, carbamate, aryloxyalkyl, hydrogen and -C(O)NH(benzyl) groups;

wherein R<sup>18</sup>, R<sup>24</sup>, R<sup>25</sup> and R<sup>34</sup> are unsubstituted or substituted with at least one electron donating or electron withdrawing group;


and wherein R<sup>24</sup> and R<sup>25</sup> taken together may form a ring;

with the proviso that when R<sup>24</sup> and R<sup>25</sup> taken together form a ring, the ring formed is not benzene.

21. (Withdrawn) A compound of claim 20 wherein R<sup>34</sup> is hydrogen;

R<sup>18</sup> is aralkyl; and R<sup>24</sup> and R<sup>25</sup> are each independently selected from the group consisting of hydrogen, lower alkyl, and lower alkyl wherein R<sup>24</sup> and R<sup>25</sup> taken together may form a ring.

22. (Withdrawn) A compound of claim 20 of the structure



wherein  $R^{24}$  and  $R^{25}$  are each independently selected from the group consisting of hydrogen, halogen, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl,  $-CF_3$ ,  $-SH$ ,  $-OH$ ,  $-CO_2H$ ,  $-CN$ ,  $-NO_2$ ,  $-NH_2$ , alkynylamino, alkoxycarbonyl, heterocycloyl, carboxy,  $-N(C_1-C_3 \text{ alkyl})-C(O)(C_1-C_3 \text{ alkyl})$ ,  $-NHC(O)N(C_1-C_3 \text{ alkyl})C(O)NH(C_1-C_3 \text{ alkyl})$ ,  $-NHC(O)NH(C_1-C_6 \text{ alkyl})$ ,  $-NHSO_2(C_1-C_3 \text{ alkyl})$ ,  $-NHSO_2(\text{aryl})$ , alkoxyalkyl, alkylamino, alkenylamino, di( $C_1-C_3$ )amino,  $-C(O)O-(C_1-C_3 \text{ alkyl})$ ,  $-C(O)NH-(C_1-C_3 \text{ alkyl})$ ,  $-C(O)N(C_1-C_3 \text{ alkyl})_2$ ,  $-CH=NOH$ ,  $-PO_3H_2$ ,  $-OPO_3H_2$ , haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl,  $-SO_2-(C_1-C_3 \text{ alkyl})$ ,  $-SO_3-(C_1-C_3 \text{ alkyl})$ , sulfonamido, carbamate, aryloxyalkyl and  $-C(O)NH(\text{benzyl})$  groups;

$R^{34}$  is selected from the group consisting of alkyl, alkenyl, alkynyl, hydroxyalkyl, aliphatic acyl, alkynylamino, alkoxycarbonyl, heterocycloyl,  $-CH=NOH$ , haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, carbamate, aryloxyalkyl, hydrogen and  $-C(O)NH(\text{benzyl})$  groups; and,

$R^{35}$ , at each occurrence, is independently selected from the group consisting of halogen, hydroxyl, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl,  $-CF_3$ ,  $-CO_2H$ ,  $-SH$ ,  $-CN$ ,  $-NO_2$ ,  $-NH_2$ , alkynylamino, alkoxycarbonyl, heterocycloyl, carboxy,  $-N(C_1-C_3 \text{ alkyl})-C(O)(C_1-C_3 \text{ alkyl})$ ,

-NHC(O)N(C<sub>1</sub>-C<sub>3</sub> alkyl)C(O)NH(C<sub>1</sub>-C<sub>3</sub>alkyl), -NHC(O)NH(C<sub>1</sub>-C<sub>6</sub> alkyl),  
 -NHSO<sub>2</sub>(C<sub>1</sub>-C<sub>3</sub> alkyl), -NHSO<sub>2</sub>(aryl), alkoxyalkyl, alkylamino,  
 alkenylamino, di(C<sub>1</sub>-C<sub>3</sub>)amino, -C(O)O-(C<sub>1</sub>-C<sub>3</sub>)alkyl,  
 -C(O)NH-(C<sub>1</sub>-C<sub>3</sub>)alkyl, -C(O)N(C<sub>1</sub>-C<sub>3</sub> alkyl)<sub>2</sub>, -CH=NOH, -PO<sub>3</sub>H<sub>2</sub>,  
 -OPO<sub>3</sub>H<sub>2</sub>, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide,  
 cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl,  
 aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl,  
 aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl,  
 -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>3</sub> alkyl), -SO<sub>3</sub>-(C<sub>1</sub>-C<sub>3</sub> alkyl), sulfonamido, carbamate,  
 aryloxyalkyl and -C(O)NH(benzyl) groups;

wherein R<sup>24</sup>, R<sup>25</sup>, R<sup>34</sup> and R<sup>35</sup> are unsubstituted or substituted with  
 at least one electron donating or electron withdrawing  
 group; and,

m is an integer of from 0 to 5.

23. (Withdrawn) A compound of claim 22 wherein R<sup>34</sup> is hydrogen;

m is an integer of one to three and R<sup>35</sup> at each occurrence is selected from the  
 group consisting of alkyl, halogen, alkoxy, haloalkyl, sulfonyl, -OH and -CN.

24. (Withdrawn) A compound of claim 20 selected from the group consisting of  
 5-(2-chlorobenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-6-  
 methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-fluorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-fluorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-benzyl-6-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-benzyl-3,5-dihydro[1,3]oxazolo[4,5-  
 c]pyridine-2,4-dione, 5-(2,5-dimethylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-  
 dione, 5-(2-methylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-  
 dichlorobenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-methoxybenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,5-difluorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(methylthio)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-fluorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-methoxybenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3,5-bis(trifluoromethyl)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-tert-butylbenzyl)-3,5-

dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-chlorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(trifluoromethyl)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-bromobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,4-dichlorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-methylbenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methoxybenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[4-(trifluoromethyl)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-methylbenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(pyridin-2-ylmethyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-difluorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-difluorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(trifluoromethoxy)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[4-(trifluoromethoxy)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(trifluoromethyl)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-methoxybenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,3-dichlorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,5-dimethylbenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-pentyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-dichlorobenzyl)-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-ethyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-butyl-5-(2-chlorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(trifluoromethyl)benzyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dichlorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-fluorobenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methylbenzyl)-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-5,6,7,8-tetrahydro-2H-  
 cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 7-methyl-5-[4-  
 (methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-  
 methoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-  
 propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 4-[(2,4-dioxo-2,3-  
 dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]-N,N-dimethylbenzenesulfonamide, 5-



(mesitylmethyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-3,5,6,7,8,9-hexahydro[1,3]oxazolo[4,5-c]quinoline-2,4-dione, 5-(2-chlorobenzyl)-7-ethyl-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(methylthio)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 2-[(2,4-dioxo-2,3-dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]-N,N-dimethylbenzenesulfonamide, 5-(2,6-dimethoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(trifluoromethoxy)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chloro-2-methoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-5,6,7,8,9,10-hexahydro-2H-cyclohepta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-[2-(difluoromethoxy)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-[(1R)-1-phenylethyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-7-propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dimethylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 3-chloro-2-[(2,4-dioxo-2,3-dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]benzonitrile, 5-(2-chloro-6-methylbenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 2-[(2,4-dioxo-2,3-dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]benzonitrile, 5-(2-chloro-6-methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(methylthio)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-cyclopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-chlorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dichlorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-(4-methylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,5-dimethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-difluorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-fluoro-6-methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methoxybenzyl)-7-propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-chloro-2-fluorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-isopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-fluoro-2-methylbenzyl)-7-methyl-3,5-

dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-[(1S)-1-phenylethyl]-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-isopropoxybenzyl)-7-methyl-  
 3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-acetyl-2-methoxybenzyl)-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-[2-fluoro-6-(trifluoromethyl)benzyl]-7-  
 methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methylbenzyl)-  
 5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-(2-chloro-  
 6-ethoxybenzyl)-7-ethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-  
 propoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-  
 isobutoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-  
 ethoxybenzyl)-5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-  
 dione, 5-(2-chloro-6-isopropoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-  
 2,4-dione, 5-[2-chloro-6-(2,2,2-trifluoroethoxy)benzyl]-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-[2-chloro-6-(2-methoxyethoxy)benzyl]-  
 5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-(2-chloro-  
 6-ethoxybenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-  
 chloro-6-ethoxybenzyl)-7-ethyl-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione,  
 5-(2-chlorobenzyl)-7-ethyl-3,5-dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-(2-chloro-  
 6-ethoxybenzyl)-7-propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-  
 ethoxybenzyl)-7-cyclopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-  
 5-propoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-  
 methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-  
 ethoxybenzyl)-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-  
 ethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-  
 (piperidin-1-ylsulfonyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione,  
 5-[2-chloro-5-(pyrrolidin-1-ylsulfonyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-  
 c]pyridine-2,4-dione, 5-[2-chloro-6-(cyclopentylmethoxy)benzyl]-7-methyl-3,5-  
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(benzyloxy)-6-chlorobenzyl]-7-methyl-  
 3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,3-dichloro-6-ethoxybenzyl)-5,6,7,8-  
 tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-[2-chloro-5-  
 (trifluoromethyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione and 5-  
 (2-chloro-5-fluorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione.

25. (Currently Amended) A compound selected from the group consisting of (3S)-3-(1,3-benzodioxol-5-yl)-3-[(2-oxo-1-(phenylmethyl)-4-propyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-ethyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(6-methyl-2-oxo-1-(phenylmethyl)-4-[(phenylmethyl)oxy]-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2,4-dimethyl-6-oxo-1,6-dihydro-5-pyrimidinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(4-amino-1-[(2-chlorophenyl)methyl]-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-[4-(methoxy)phenyl]propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-[(4-amino-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-(1,4-oxazinan-4-yl)-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2-oxo-4-(propylamino)-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-bromophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-[3-methyl-4-(methoxy)phenyl]propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-[(2-[(2-methoxy)ethyl]oxy)ethyl]oxy)-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-hydroxy-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-[(1,1-dimethylethyl)amino]-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-

chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-phenylpropanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[4-methyltetrahydro-1(2H)-pyrazinyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[4-(methyloxy)phenyl]propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(3-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[3-(methyloxy)phenyl]propanoic acid, (3S)-3-[3,5-bis(methyloxy)phenyl]-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino} propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-quinolinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[3-(trifluoromethyl)phenyl]propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(ethyl[(ethylamino)carbonyl]amino)carbonyl]amino]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{4-(1-azetanyl)-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(2-[(2-(methyloxy)ethyl)oxy]ethyl)oxy]ethyl}oxy]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chloro-6-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-5-methyl-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-(1,3-benzodioxol-5-yl)-3-(((2-oxo-1-((4-(trifluoromethyl)phenyl)methyl)-1,2-dihydro-3-pyridinyl)amino)carbonyl]amino)propanoic acid, (3S)-3-(((1-((2-chlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2-bromophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2,4-dichlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]

amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-(2-chloro-6-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-trifluoromethoxyphenyl)propanoic acid, (3S)-3-([([1-(2-chloro-6-methoxybenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 4-([3-([([1S)-2-carboxy-1-(4-methylphenyl)ethyl]amino)carbonyl)amino]-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-4-yl]amino)benzoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-[(2,2-dimethylpropanoyl)amino]-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-([([4-([tert-butylamino)carbonyl]amino)-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-([([1-(2-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(2,3-dihydro-1,4-benzodioxin-6-yl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(7-methoxy-1,3-benzodioxol-5-yl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(3-ethoxy-4-methoxyphenyl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(3,4-dimethoxyphenyl)propanoic acid, (3S)-3-([([1-(4-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-([([1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-([([1-(2,6-difluorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-([([1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(3,5-dimethoxyphenyl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(3-methoxy-4-methylphenyl)propanoic acid, (3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino)-3-(3,5-dimethoxy-4-methylphenyl)propanoic acid, (3S)-3-([([1-

(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-5-ethyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-5-(trifluoromethyl)benzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylbenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2,6-dimethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-(3-butoxyphenyl)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]propanoic acid, (3S)-3-[[[1-(2-chloro-5-(methylsulfonyl)benzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(2-methoxyethoxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-dipropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(difluoromethoxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylbenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-

3-yl]amino}carbonyl)amino]-3-(2-naphthyl)propanoic acid and (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylbenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(2,3-dihydro-1-benzofuran-5-yl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3,5-diethoxyphenyl)propanoic acid, (3S)-3-[[[5-chloro-1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-phenylpropanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1,3-diethyl-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(trifluoromethoxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-

chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-5-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-6-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(1-methyl-1H-indol-6-yl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-[3-(cyclopropyloxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-[3-[(difluoromethyl)oxy]phenyl]propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-[3-[(1,1,2,2-tetrafluoroethyl)oxy]phenyl]propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-(1-ethyl-1H-indol-5-yl)propanoic acid and (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-



yl]amino)carbonyl]amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(6-methoxy-2-naphthyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-(3-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-[3-(diethylamino)phenyl]propanoic acid, and (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[[[1-(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino)carbonyl]amino]-3-(1H-indol-5-yl)propanoic acid and pharmaceutically acceptable salts thereof.

26. (Original) (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid and pharmaceutical acceptable salts thereof.

27. (Withdrawn) (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-(4-methylphenyl)propanoic acid and pharmaceutically acceptable salts thereof.
28. (Withdrawn) (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl]amino]-3-[3-(diethylamino)phenyl]propanoic acid and pharmaceutically acceptable salts thereof.
29. (Withdrawn) A compound selected from the group consisting of (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl]amino]-3-(4-methylphenyl)propanoic acid; (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl]amino]-3-(3-ethoxyphenyl)propanoic acid; (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-(3-isopropoxyphenyl)propanoic acid; (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl]amino]-3-(6-methoxy-2-naphthyl)propanoic acid; (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-(3-methylphenyl)propanoic acid; (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[[[1-(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl]amino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[[[1-(2-chloro-6-

methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-{{{1-[(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-(1H-indol-5-yl)propanoic acid and pharmaceutically acceptable salts thereof.

30. (Original) A pharmaceutical composition comprising:  
a compound of claim 1  
in a pharmaceutically acceptable carrier.
31. (Original) A method for selectively inhibiting  $\alpha_4\beta_1$  integrin binding in a mammal comprising administering to said mammal a therapeutic amount of a compound of claim 1.

**DETAILED ACTION**

1. Amendment and response filed by applicants dated Nov. 10, 2004 have been entered and considered carefully. Claims 6, 9, 13, 16, 18, have been canceled. Claims 20-24, 27-29 stayed withdrawn. The erroneous withdrawn of claim 26 is hereby re-instated as pending.

2. *Examiner's Amendment*

Authorization for this examiner's amendment was given in a telephone interview with Mr. Martin Katz on Mar 17, 2005.

Claims 1-11, 17, 19-24, 27, 29 and 32 in part, being drawn to the nonelected inventions are canceled without prejudice against applicant's filing of divisional applications.

Claims 25, 26, 28, 30 and 31 are canceled and replaced with the following:

**Claim 32.** (new) A compound selected from the group consisting of

(3S)-3-(1,3-benzodioxol-5-yl)-3-[(2-oxo-1-(phenylmethyl)-4-propyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]propanoic acid,

(3S)-3-[(1-[(2-chlorophenyl)methyl]-4-ethyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-[(2-chlorophenyl)methyl]-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(6-methyl-2-oxo-1-(phenylmethyl)-4-[(phenylmethyl)oxy]-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(4-amino-1-[(2-chlorophenyl)methyl]-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-[4-(methyloxy)phenyl]propanoic acid,

(3S)-3-[(1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(3,4-dimethylphenyl)propanoic acid,

(3S)-3-[(4-amino-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

Art Unit: 1625

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-(1,4-oxazinan-4-yl)-2-oxo-1,2-dihydro-3-pyridinyl}amino}carbonyl}amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-2-oxo-4-(propylamino)-1,2-dihydro-3-pyridinyl}amino}carbonyl}amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-bromophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-[3-methyl-4-(methyloxy)phenyl]propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(2-{2-(methyloxy)ethyl}oxy)ethyl]oxy]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(1,1-dimethylethyl)amino]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-phenylpropanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[4-methyltetrahydro-1(2H)-pyrazinyl]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-[4-(methyloxy)phenyl]propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(3,5-dimethylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(3-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-[3-(methyloxy)phenyl]propanoic acid,

Art Unit: 1625

(3S)-3-[3,5-bis(methyloxy)phenyl]-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-[3-(trifluoromethyl)phenyl]propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(ethyl[(ethylamino)carbonyl]amino)carbonyl]amino]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{4-(1-azetanyl)-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-({2-[(2-{2-(methyloxy)ethyl}oxy}ethyl)oxy]ethyl}oxy)-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chloro-6-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-5-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-(1,3-benzodioxol-5-yl)-3-(((2-oxo-1-((4-(trifluoromethyl)phenyl)methyl)-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)propanoic acid,

(3S)-3-(((1-((2-chlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2-bromophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2,4-dichlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2-chloro-6-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

Art Unit: 1625

(3S)-3-((((1-((2-chlorophenyl)methyl)-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-trifluoromethyloxy)phenyl)propanoic acid,

(3S)-3-([([1-(2-chloro-6-methoxybenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

4-{[3-([([1-(2-chloro-6-methoxybenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-4-yl]amino} benzoic acid,

(3S)-3-([([1-(2-chlorobenzyl)-4-((2,2-dimethylpropanoyl)amino)-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-([([4-([[(tert-butylamino)carbonyl]amino)-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(2,3-dihydro-1,4-benzodioxin-6-yl)propanoic acid,

(3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(7-methoxy-1,3-benzodioxol-5-yl)propanoic acid,

(3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxy-4-methoxyphenyl)propanoic acid,

(3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-dimethoxyphenyl)propanoic acid,

(3S)-3-([([1-(4-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-([([1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-([([1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-([([1-(2,6-difluorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-([([1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,5-dimethoxyphenyl)propanoic acid,

Art Unit: 1625

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3-methoxy-4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3,5-dimethoxy-4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3,4-dimethylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-5-ethyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chloro-5-(trifluoromethyl)benzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chloro-6-methylbenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2,6-dimethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3-propoxyphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-(3-butoxyphenyl)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]propanoic acid,



Art Unit: 1625

(3S)-3-(((1-[2-chloro-5-(methylsulfonyl)benzyl]-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-[3-(2-methoxyethoxy)phenyl]propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3,4-dipropoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-[3-(difluoromethoxy)phenyl]propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chloro-6-methylbenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid,

3-(((1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(2-naphthyl)propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chloro-6-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(4-methoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-(((1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino)carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid,

Art Unit: 1625

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(2,3-dihydro-1-benzofuran-5-yl)propanoic acid,

(3S)-3-[( {[5-chloro-1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-[3-(trifluoromethoxy)phenyl]propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-5-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-6-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(1-methyl-1H-indol-6-yl)propanoic acid,

(3S)-3-[( {[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[( {[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(6-methoxy-2-naphthyl)propanoic acid,

(3S)-3-[( {[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid,

Art Unit: 1625

(3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid,,

(3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(6-methoxy-2-naphthyl)propanoic,

and pharmaceutically acceptable salts thereof.

<sup>5</sup>  
**Claim 33.** (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid and pharmaceutical acceptable salts thereof.

<sup>6</sup>  
**Claim 34.** (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-[3-(diethylamino)phenyl]propanoic acid and pharmaceutically acceptable salts thereof.

<sup>7</sup>  
**Claim 35.** A pharmaceutical composition comprising an effective amount of a compound selected from one of claims <sup>1-6</sup>~~12, 14, 15, 32, 33 or 34~~ and a pharmaceutically acceptable carrier.

<sup>8</sup>  
**Claim 36.** A method for treating asthma, multiple sclerosis or inflammatory bowel diseases in a mammal comprising administering to said mammal a therapeutically effective amount of a compound selected from one of claims <sup>1-6</sup>~~12, 14, 15, 32, 33, or 34~~.